Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FEB 15

The

North-Eastern Forestry Co.

Cheshire Evergreen Nursery

1930

EVERGREENS

FOR

ALL PURPOSES



College Highway

Cheshire, Conn.

Phone Cheshire 145-2

SHIPPING INSTRUCTIONS.

When ordering trees please set a date on which you wish your shipment to go forward. This will assure you of receiving your trees when it is most convenient for you to care for them. Express shipments are recommended. Please state explicitly name of express station to which shipment is to be sent.

LOCATION.

Our nursery is located in Cheshire, Conn., on the College Highway, twelve miles north of New Haven. Trolley cars from New Haven to Waterbury pass directly through the nursery. Good roads from New Haven, Waterbury, Meriden and Wallingford enable you to motor from any of these cities.

When passing through southern New England, do not fail to visit our nursery.

PRICE LIST

Each 10 100

1000

15.00

3.00

Size

2- 4 in.

Seedlings

AMERICAN ARBORVITAE (Thuya Occidentalis)

| Seedlings | 4- 6 in. | | | 3.75 | 22.00 |
|----------------------|----------------------------------|---------------------|----------------|----------|-----------|
| Transplants | 3- 6 in. | | | 6.00 | |
| Transplants | 6-12 in. | | 1.50 | 9.00 | 67.00 |
| Twice trans. | 6-12 in. | | 2.50 | 22.50 | |
| "" "" | 12-18 in. | | 4.00 | 37.50 | |
| 44 44 | 18-24 in. | | 7.00 | 60.00 | |
| " " | 2- 3 ft. | 1.50 | 10.00 | 90.00 | 750.00 |
| " " | 2- 3 1t. 3- 4 ft. | $\frac{1.50}{2.00}$ | | | 1125.00 |
| " " | | | | | 1125.00 |
| " " | 4- 5 ft. | 3.00 | 25.00 | 200.00 | |
| | 5- 6 ft. | 4.50 | 40.00 | 10000 | |
| 3 times trans. | 1- 2 ft. | 1.50 | | 100.00 | 1 500 00 |
| | 2- 3 ft. | 2.50 | | | 1500.00 |
| | 3- 4 ft. | 3.00 | | | 2200.00 |
| | 4- 5 ft. | 4.50 | | 380.00 | |
| | 5- 6 ft. | 6.00 | 55.00 | | |
| Pyramidal ha | bit; bright gree | en colo | r; stand | s shear | ing well. |
| ORIENTAL AR | RBORVITAE (| Thuya | Orienta | lis) | |
| Transplants | 3- 5 in. | | | 4.50 | 37.00 |
| " | 10-18 in. | | 1.00 | 6.00 | 0 |
| Twice trans. | 6-12 in. | | 2.50 | 22.50 | |
| " " " | 12-18 in. | | 4.00 | 37.50 | |
| " | 18-24 in. | | 5.00 | 01.00 | |
| Pyramidal hal | oit; bright gree | n foliag | | n-like b | ranches. |
| COMPACT OF | CNTAL ADDA | ODILLE | AT /TT | . ^ | 1. |
| COMPACT OR Compacta) | IENIAL AKBO | JKVII. | AL (I | huya O | rientalis |
| Transplants | 3- 5 in. | | | 4.50 | 37.00 |
| Twice trans. | 6-12 in. | | 3.00 | 22.50 | 31.00 |
| i wice trans. | 12-18 in. | 1.00 | 5.00 | 37.50 | |
| | 12-18 III. | 1.00 | 5.00 | 57.50 | |
| Dwarf habit; | bright green | foliage | on far | n-like b | ranches. |
| GOLDEN ORI | ENTAL ARBO | PRVITA | AE (T | nuya O | rientalis |
| Transplants | 3- 5 in. | | | 4.50 | 37.00 |
| Pyramidal ha | bit; bright gr | oon oo | casiona | lly cold | l-tinned |
| | an-like branch | | casiona | ny gon | i-tippeu, |
| PARSON'S ARI | BORVITAE (T | huya C | Occident | alis Co | mpacta) |
| 3 times trans. | 6- 9 in. spd. | 1.00 | 9.00 | | |
| o times trans. | 9-12 in. spd. | | | | |
| | | 1 4111 | 14.00 | | |
| 66 66 66 | | 2.00 | 19.00 | | |
| | 12-15 in. spd. 15-18 in. spd. | 2.00 | 18.00 23.00 | | |

PYRAMIDAL ARBORVITAE (Thuya Occidentalis Pyramidalis)

| | | trans. | 18-24 in. | 1.75 | 16.00 |
|---|----|--------|------------------------|------|-------|
| | 44 | | 2-2½ ft. | 2.00 | 18.00 |
| | 44 | | $2\frac{1}{2}$ - 3 ft. | 3.00 | 27.00 |
| | 44 | 66 | 3-3 ½ ft. | 4.00 | 37.00 |
| | 44 | 44 | $3\frac{1}{2}$ - 4 ft. | 4.50 | 42.00 |
| " | 44 | " | 4- 5 ft. | 5.50 | 50.00 |

Round, compact, dwarf; bright green.

Narrow, erect, pyramidal; dark green.

TOM THUMB ARBORVITAE (Thuya Occidentalis Ellwangeriana)

| 3 | times | trans. | 18-24 in. | 2.00 | 18.00 |
|----|-------|--------|------------|------|-------|
| 66 | 66 | " | 2-2½ ft. | 3.00 | 27.00 |
| " | " | 46 | 2 ½ -3 ft. | 4.00 | 35.00 |

Broad, compact pyramid; olive green.

SIBERIAN ARBORVITAE (Thuya Occidentalis Warreana)

| 3 | times | trans | 12-18 in. | 1.50 | 14.00 |
|----|-------|-------|-----------------------|------|-------|
| " | " | 66 | 18-24 in. | 2.00 | 18.00 |
| 66 | " | " | $2-2\frac{1}{2}$ ft. | 2.50 | 23.00 |
| 66 | " | " | $2\frac{1}{2}$ -3 ft. | 3.50 | 32.00 |

Broad pyramidal; dark bluish-green; very slow grower.

WOODWARD ARBORVITAE (Thuya Occidentalis Woodwardi)

| 3 | times | trans. | 6- 9 in. spd. | 1.00 | 9.00 |
|---|-------|--------|----------------|------|-------|
| " | " | 44 | 9-12 in. spd. | 1.50 | 14.00 |
| " | " | 46 | 12-15 in. spd. | 2.00 | 18.00 |
| " | " | " | 15-18 in. spd. | 2.50 | 23.00 |
| " | " | " | 18-24 in. spd. | 3.50 | 32.00 |
| | | | | | |

Round, dwarf; bright green.

PFITZER'S JUNIPER (Juniperus Chinensis Pfitzeriana)

| 3 | times | trans. | 12-18 in spd. | 2.00 | 19.00 |
|---|-------|--------|-----------------|------|-------|
| " | " | 66 | 18-24 in. spd. | 2.75 | 25.00 |
| " | " | 66 | 2-21/2 ft. spd. | | |

Spreading habits; silvery green foliage.

PROSTRATE JUNIPER (Juniperus Communis Depressa)

| 3 | times | trans. | 2- | 3 ft. s | pd. 2.50 | 22.00 |
|---|-------|--------|----|---------|----------|-------|
| " | 44 | 44 | 3- | 4 ft. s | pd. 3.50 | 32.00 |
| " | " | " | | | pd. 5.00 | |

Low, spreading, native juniper; bluish green foliage.

ALPINE FIR (Abies Lasiocarpa)

| Seedlings | 1- 2 in. | 3.00 | 22.00 |
|-------------|----------|------|-------|
| Transplants | 2- 3 in. | 7.50 | 52.00 |
| (C | 3- 5 in. | 9.00 | 75.00 |

Slow grower, dense; dark green foliage.

BALSAM FIR (Abies Balsamea)

| Seedlings | 1- 2 in. | | | 3.00 | 15.00 |
|-------------|-----------|-----|------|-------|--------|
| Transplants | 2- 4 in. | | | 4.50 | 30.00 |
| ı.c | 4- 8 in. | | 1.00 | 7.50 | 45.00 |
| " | 8-12 in. | | 1.50 | 9.00 | 60.00 |
| Twice trans | 6-12 in. | | 2.50 | 18.00 | 150.00 |
| " | 12-18 in. | .60 | 4.00 | 25.00 | 200.00 |

Pyramidal habit; dark green foliage.

CONCOLOR FIR (Abies Concolor)

| Seedlings | 3- 5 in. | | | 6.00 | 37.00 |
|--------------|----------|-----|------|-------|--------|
| Transplants | 4-8 in. | | | 9.00 | 75.00 |
| Twice trans. | 6- 9 in. | | 4.00 | 30.00 | 270.00 |
| " | 9-12 in. | .75 | 6.00 | 52.50 | 450.00 |

Broad, pyramidal tree; long, heavy, bluish-green needles; very hardy.

| | • | | | | |
|---|---|---|--|---|------------------------------------|
| Seedlings Transplants Twice trans. " 3 times trans. " " " " " " " " " " " " " " " " " " " | 12-18 in. 18-24 in. 2-2½ ft. | 1.00 1.50 2.00 2.50 3.00 4.50 | $\begin{array}{c} 4.50 \\ 8.00 \\ 14.00 \\ 18.00 \\ 23.00 \\ 27.00 \\ 40.00 \end{array}$ | $\begin{array}{c} 4.50 \\ 9.00 \\ 37.50 \\ 75.00 \\ 125.00 \\ 170.00 \\ 210.00 \\ 250.00 \end{array}$ | 22.00 75.00 300.00 600.00 |
| Pyramidal tr | ee; green to blu | ue-gree | en folia | ge; ver | y hardy. |
| FRASER FIR | Abies Fraseri) | | | | |
| Transplants Twice trans. Similar to branches. | 2- 4 in. 6-12 in. Balsam fir—but | leaves | 3.50 s more | $\begin{array}{c} 6.00\\22.50\\\text{e} \end{array}$ | $45.00 \\ 180.00 \\ ded on$ |
| MOMI FIR (Ab | ies Firma) | | | | |
| Seedlings | 2- 3 in. | reen ε | ıbove, ş | 5.00 gray be | |
| NIKKO FIR (| Abies Homolepi | s) | | | |
| Seedlings Transplants 3 times trans. | 12-18 in. | 2.00 | | 170.00 | 75.00 135.00 |
| | idal; dark gree | ı, iusti | rous 10 | nage. | |
| VEITCH FIR (| · · | | | | |
| | 1- 2 in. 3- 4 in. nidal habit; lus n branches. | strous | dark | 9.00 18.00 green | 75.00 135.00 foliage, |
| HEMLOCK (T | uga Canadensis |) | | | |
| Transplants Twice trans. 3 times trans. """ """ """ """ """ "" """ | 3- 5 in. 6-12 in. 12-18 in. 12-18 in. | .75 1.50 2.50 3.00 4.00 5.50 8.00 | $12.00 \\ 24.00 \\ 28.00 \\ 39.00 \\ 52.50 \\ 75.00$ | $\begin{array}{c} 112.50 \\ 225.00 \\ 260.00 \\ 375.00 \end{array}$ | $540.00 \\ 900.00 \\ 2100.00$ |
| | EMLOCK (Tsu | | | na) | |
| Transplants | 3- 5 in. it; dark green f | | | 22.50 | 187.00 |
| JAPANESE HI | EMLOCK (Tsug | a Dive | rsifolia |) | |
| | 1- 2 in. 2- 3 in. act growth; dar | | | 9.00 18.00 ge. | $75.00 \\ 150.00$ |
| SIEBOLD HEN | ILOCK (Tsuga | Siebol | di) | | |
| Seedlings Transplants Open growth | 1- 2 in. 2- 3 in. ; slender, glossy | leave | s. | 9.00 18.00 | 75.00 150.00 |

Size Each 10 100 1000

DOUGLAS FIR (Pseudotsuga Douglasi)

| | Size | Each | 10 | 100 | 1000 |
|--|---|--------------------------|---|---|--|
| AUSTRIAN PI | NE (Pinus Ni | gra) | | | |
| | 3- 5 in. 5-10 in. 3- 6 in. 6-12 in. 12-18 in. 6-12 in. 12-18 in. 12-18 in. 18-24 in. 2-2 ½ ft. 12-18 in. 18-24 in. 2- 3 ft. 3- 4 ft. | | 2.00 2.25 3.50 4.00 7.00 12.00 14.00 18.00 22.00 25.00 | 3.00 4.50 7.50 10.50 12.00 30.00 37.50 60.00 100.00 | 15.00 22.00 60.00 90.00 110.00 260.00 300.00 |
| *BRISTLECON | | ius Arist | ata) | | |
| Transplants | 2- 4 in. g, bushy tree; | oreen to | hlue- | 7.50 green fo | 60.00 liage. |
| | | | Diue- | green 10 | nage. |
| CORSICAN PII Seedlings | VE (Pinus La 2-4 in. | ricio) | | 2 00 | 15.00 |
| Twice trans. | 6-12 in. | | 3.00 | $\begin{array}{c} 3.00 \\ 25.00 \end{array}$ | 15.00 |
| Open growth | ; leaves curve | d and li | ght gr | een. | |
| *HIMALAYAN | PINE (Pinus | s Excelsa | a) | | |
| Transplants Twice trans. """ 3 times trans. """ | 2- 4 in. 4- 6 in. 6-12 in. 1- 2 ft. 2- 3 ft. 1- 2 ft. 2- 3 ft. | .75 1.00 1.00 2.00 | 3.50 6.00 9.00 9.00 18.00 | 4.50 6.00 30.00 52.50 75.00 80.00 | 37.00 52.00 |
| Open, wide | spreading; pe | ndulous, | blue-g | green fo | liage. |
| JACK PINE (P | inus Banksian | na) | | | |
| Transplants | 5- 9 in. | | | 4.50 | 22.00 |
| Irregular ope | n growth; lea | ves twist | ed, lig | ht-green | • |
| JAPANESE BL | ACK PINE (| Pinus T | hunber | gi) | |
| Transplants | 3- 6 in. | | | 6.00 | 45.00 |
| 9 9 | tree; leaves | | | een. | |
| JAPANESE RE | | us Dens | iflora) | - | |
| Seedlings Transplants Twice trans. """ 3 times trans. """ """ | 3- 6 in. 4- 8 in. 10-18 in. 6-12 in. 12-18 in. 18-24 in. 1- 2 ft. 2- 3 ft. 3- 4 ft. | 1.00 2.00 3.00 | 1.00 2.50 3.50 4.00 9.00 18.00 27.00 | 3.00 4.50 6.00 20.00 30.00 37.50 80.00 160.00 250.00 | 15.00 30.00 45.00 262.00 |
| | 4- 5 ft. soft, light gro | 4.00 een folia | 37.00 ge. | | |

| | Size | Each 10 | 100 | 1000 |
|--|---|--|---|--|
| *LIMBER PINE | (Pinus Flexi | lis) | | |
| Seedlings Transplants Twice trans. "" 3 times trans. "" | 1- 3 in. 2- 3 in. 3- 5 in. 6-12 in. 12-18 in. 18-24 in. 18-24 in. | 3.5 .50 4.5 .75 6.5 1.00 9.0 1.50 14.0 | 0 37.50 0 60.00 0 110.00 | $ \begin{array}{r} 30.00 \\ 45.00 \\ 60.00 \\ 262.00 \\ 300.00 \end{array} $ |
| | growth; blue- | | ge. | |
| MUGHO PINE | (Pinus Mughus |) | | |
| Seedlings Transplants " Twice trans. " " " " " " " Three times tran " " " " " " " " " " " | 1- 2 in. 3- 5 in. 2- 3 in. 3- 6 in. 4- 8 in. 3- 6 in. spd. 6- 9 in. spd. 9-12 in. spd. 12-15 in. spd. 15-18 in. spd. 12-15 in. spd. 12-15 in. spd. 12-15 in. spd. | 1.5 2.5 4.5 1.00 6.5 1.50 10.0 2.00 15.0 1.50 14.0 2.00 18.0 2.50 23.0 | 0 22.50 0 37.50 0 60.00 0 90.00 0 135.00 | 15.00 22.00 45.00 60.00 75.00 192.00 300.00 525.00 750.00 |
| Compact, dwa | rf pine; dark | | | |
| PITCH PINE (F | Pinus Rigida) | | | |
| Seedlings Transplants | 4-8 in. 3-6 in. 12-15 in. | 1.5 | 3.00 4.50 0 10.00 | 15.00 30.00 |
| Open, irregula | r growth; light | green leave | es. | |
| RED PINE (Pin | nus Resinosa) | | | |
| Seedlings "Transplants Twice trans. """ "" Rapid grower, | 2- 4 in. 6- 9 in. 4- 6 in. 6-12 in. 6-12 in. 12-18 in. 12-2½ ft. dark green fo | 1.5 2.5 3.5 .75 5.0 1.00 7.0 | $egin{array}{ccc} 0 & 22.50 \\ 0 & 30.00 \\ 0 & 45.00 \\ \end{array}$ | 15.00 22.00 37.00 45.00 187.00 270.00 375.00 |
| SCOTCH PINE | (Pinus Sylvest | ris) | | |
| Seedlings Transplants " " Twice trans " " " " " " " " " " " " " " " " " " " | 3- 6 in. 6-12 in. 4- 8 in. 8-12 in. 12-18 in. 6-12 in. 1- 2 ft. 2- 3 ft. 3- 4 ft. 4- 5 ft. 1- 2 ft. 2- 3 ft. 3- 4 ft. | $\begin{array}{c} 1.0 \\ 1.5 \\ 2.2 \\ 3.5 \\ 1.00 \\ 9.0 \\ 1.50 \\ 14.0 \\ 2.50 \\ 22.0 \\ 1.00 \\ 9.0 \\ 1.50 \\ 14.0 \\ 2.50 \\ 23.0 \\ \end{array}$ | 0 7.50 5 20.00 0 30.00 0 60.00 0 90.00 0 80.00 0 125.00 | 12.00 18.00 30.00 37.00 52.00 180.00 270.00 |

Rapid grower; green to blue-green foliage.

^{*}For shipment in New England only.

| | | Size | Each | 10 | 100 | 1000 |
|--------|------|-----------------|------|----|-----|------|
| *WHITE | PINE | (Pinus Strobus) | | | | |

| Seedlings | 2- 4 in. 6- 9 in. | | | $\frac{3.00}{4.25}$ | $15.00 \\ 18.00$ |
|----------------|----------------------|------|-------|---------------------|------------------|
| Transplants | 3- 5 in. | | | 4.50 | 27.00 |
| ι <i>τ</i> | 5-10 in. | | 1.00 | 6.00 | 37.00 |
| " | 12-18 in. | | 1.50 | 7.50 | 45.00 |
| Twice trans. | 6-12 in. | | 2.50 | 22.50 | 192.00 |
| " | 1- 2 ft. | | 3.50 | 30.00 | 270.00 |
| 3 times trans. | 1- 2 ft. | 1.00 | 9.00 | 80.00 | |
| | 2- 3 ft. | 2.00 | 18.00 | 160.00 | |
| | 3- 4 ft. | 2.50 | 23.00 | 200.00 | |
| | 4- 5 ft. | 3.50 | 32.00 | | |

Rapid grower; blue-green foliage.

GOLDEN PLUME CYPRESS (Retinospora Plumosa Aurea)

| 3 | times | trans. | 12-18 in. | 1.50 | 14.00 |
|----|-------|--------|-----------------------|------|-------|
| " | " | " | 18-24 in. | 2.00 | 19.00 |
| 66 | " | " | $2-2\frac{1}{2}$ ft. | 3.00 | 28.00 |
| 66 | 46 | 44 | $2\frac{1}{2}$ -3 ft. | 4.00 | 38.00 |

Compact form, golden plume-like foliage.

GOLDEN SAWARA CYPRESS (Retinospora Aurea)

| 3 | times | trans. | 12-18 in. | 1.50 | 14.00 |
|----|-------|--------|------------------------|------|-------|
| " | 44 | 46 | 18-24 in. | 2.00 | 19.00 |
| " | 44 | 66 | $2-2\frac{1}{2}$ ft. | 3.00 | 28.00 |
| " | 44 | 44 | $2\frac{1}{2}$ - 3 ft. | 4.00 | 38.00 |
| 66 | " | 66 | 3-3½ ft. | 5.00 | 48.00 |

Bushy, open growth; golden foliage.

HINOKI CYPRESS (Retinospora Obtusa)

| Seedlings | 2- 4 in. | | 4.50 | 22.00 |
|-------------|-----------------------|--------------------|-----------|-------|
| Twice tran | ns. 12-18 in. | .90 8. | 00 60.00 | |
| " | 18-24 in. | $1.25 	ext{ } 10.$ | 00 90.00 | |
| " | $2-2\frac{1}{2}$ ft. | 1.50 12. | 00 112.50 | |
| " | $2\frac{1}{2}$ -3 ft. | 2.00 18. | 00 150.00 | |
| 3 times tra | ans. 12-18 in. | 1.00 9. | 00 80.00 | |
| " | " 18-24 in. | 1.50 14. | 00 130.00 | |
| " | " 2-2½ ft. | 2.00 18. | 00 | |
| " | " 2½-3 ft. | 3.00 27. | 00 | |
| | | | | |

Graceful habit; dark green foliage.

PLUME CYPRESS (Retinospora Plumosa)

| 3 | times | trans. | 12-18 in. | | 14.00 |
|----|-------|--------|-----------|------|-------|
| 66 | 66 | 66 | 18-24 in. | 2.00 | 19.00 |

Compact growth; fine, plume-like, soft, green foliage.

SAWARA CYPRESS (Retinospora Pisifera)

| Seedling | s | 2- 4 in. | | | 4.50 | 22.00 |
|----------|--------|-----------|------|-------|--------|-------|
| Twice tr | ans. | 6-12 in. | | 4.00 | 30.00 | |
| 44 | " | 12-18 in. | 1.00 | 8.00 | 60.00 | |
| " | " | 18-24 in. | 1.25 | 10.00 | 90.00 | |
| 66 | 44 | 2-2½ ft. | 1.50 | 12.00 | 112.00 | |
| 3 times | trans. | 12-18 in. | 1.00 | 9.00 | 80.00 | |
| " | 4 | 18-24 in. | 1.50 | 14.00 | 130.00 | |
| " | 44 | 2-2½ ft. | 2.00 | 18.00 | 160.00 | |
| " | 44 | 2½-3 ft. | 3.00 | 27.00 | 225.00 | |
| " | " | 3- 4 ft. | 4.50 | 40.00 | 300.00 | |
| | | | | | | |

Broad pyramidal form; light green foliage.

^{*}For shipment in New England only.

| | Size | Each | 10 | 100 | 1000 |
|--|---|---|--|--|--|
| THREAD CYPRESS (Retinospora Filifera) | | | | | |
| 3 times trans. | 12-18 in. 18-24 in. | $\substack{2.00 \\ 2.50}$ | $\begin{array}{c} 19.00 \\ 23.00 \end{array}$ | | |
| COLORADO BL | UE SPRUCE | (Picea | Punger | ns) | |
| Seedlings Transplants " Twice trans. " " " times trans. " Symmetrical; | 2- 4 in. 2- 4 in. 4- 6 in. 8-12 in. 6- 9 in. 9-12 in. 12-18 in. 12-18 in. 18-24 in. light green of | 1.00 1.25 1.50 2.00 or blue 1 | | 160.00 | 22.00 45.00 90.00 112.00 270.00 600.00 |
| ENGELMANN : | SPRUCE (Pie | cea Enge | elmanni | i) | |
| Transplants Twice trans. Symmetrical, | 5- 9 in. 6-12 in. compact grov | wth; blue | 2.50 e-green | 12.00 20.00 foliage | 90.00 |
| NORWAY SPRU | JCE (Picea E | xcelsa) | | | |
| Seedlings Transplants Twice trans. """ """ 3 times trans. """ | 3- 5 in. 5- 7 in. 3- 6 in. 6-10 in. 6-12 in. 12-18 in. 18-24 in. 2- 3 ft. 1- 2 ft. 2- 3 ft. | .50 .75 1.00 1.25 2.00 | 1.50 2.00 3.50 5.00 6.00 10.00 18.00 | 3.00 4.00 6.00 9.00 18.00 30.00 37.00 50.00 90.00 | 12.00 18.00 30.00 52.00 150.00 270.00 360.00 |
| Rapid grower, | | _ | | | |
| Seedlings Transplants Graceful tree | 1- 2 in. 2- 3 in. | | · | 7.50 10.50 | 45.00 75.00 |
| TIGERTAIL SP | RUCE (Picea | Polita) | | | |
| Tree of dense foliage. | 1-2 in. broad pyra | midal fo | rm; riį | 8.00 gid dark | 50.00 green |
| WHITE SPRUC | E (Picea Can | nadensis) | | | |
| Seedlings Transplants " " " Twice trans. " " " " " | 2- 4 in. 3- 6 in. 6- 9 in. 8-12 in. 12-18 in. 12-18 in. 12-18 in. 18-24 in. | .50 .75 | 1.50 2.00 2.50 2.00 3.50 5.00 | 3.00 6.00 9.00 10.00 12.00 15.00 18.00 30.00 37.00 | $\begin{array}{c} 12.00 \\ 30.00 \\ 50.00 \\ 60.00 \\ 70.00 \\ 100.00 \\ 150.00 \\ 250.00 \end{array}$ |

18-24 in. 1- 2 ft. 2- 3 ft. 2.00 18.00 Compact growth; light green and often bluish-green foliage.

.75 1.25

37.00 90.00

5.00

10.00

3 times trans.

WINDOW BOX TREES

| BALSAM FIR | Size | Each | 10 |
|-----------------------------------|-----------------------|--------------------|---------------------|
| DALSAM FIR | 6-12 in. | .40 | 2.50 |
| DOUGLAS FIR | 12-18 in. | .60 | 4.00 |
| - DOUGLAS TIK | 6-12 in. 12-18 in. | $\frac{.60}{1.00}$ | $\frac{4.50}{8.00}$ |
| FRASER FIR | 12-10 III. | 1.00 | 0.00 |
| | 6-12 in. | .50 | 3.50 |
| HEMLOCK | 6-12 in. | .75 | 6.50 |
| | 12-18 in. | 1.50 | 12.00 |
| NORWAY SPRUCE AND WHITE SPRUCE | | | |
| | 6-12 in. 12-18 in. | $.40 \\ .50$ | $\frac{2.00}{3.50}$ |

Evergreens Suitable for Hedges and Windbreaks

| | and windbicans | | |
|---|----------------|-------|--------|
| AMERICAN ARRO | Size | 10 | 100 |
| AMERICAN ARBO | | | |
| | 12-18 in. | 4.00 | 37.50 |
| | 18-24 in. | 7.00 | 60.00 |
| | 2- 3 ft. | 10.00 | 90.00 |
| | 3- 4 ft. | 15.00 | 127.50 |
| HEMLOCK | | | |
| | 12-18 in. | 12.00 | 112.50 |
| AUSTRIAN PINE | | | |
| | 12-18 in. | 4.00 | 37.50 |
| | 18-24 in. | 7.00 | 60.00 |
| | 10 21 111. | | 00.00 |
| RED PINE | | | |
| | 12-18 in. | 3.50 | 30.00 |
| | 18-24 in. | 5.00 | 45.00 |
| SCOTCH PINE | | | |
| | 1- 2 ft. | 3.50 | 30.00 |
| | 2- 3 ft. | 9.00 | 60.00 |
| | 3- 4 ft | 14.00 | 90.00 |
| *WHITE PINE | | - 1 | |
| *************************************** | 1- 2 ft. | 3.50 | 30.00 |
| NORWAY SPRUCE | 7 | | |
| HORWAL DI ROCE | 12-18 in. | 3.50 | 30.00 |
| | 18-24 in. | 5.00 | 37.00 |
| | 2- 3 ft. | 6.00 | 50.00 |
| | 2- 5 It. | 0.00 | 50.00 |
| WHITE SPRUCE | | | |
| | 12-18 in. | 3.50 | 30.00 |
| | 18-24 in. | 5.00 | 37.00 |
| | | | |

^{*}For shipment in New England only.

CONDITIONS OF SALE.

The stock listed will be furnished at prices quoted only where the quantity specified is ordered. Fifty of the same variety and size will be furnished at the hundred rate, five hundred at the thousand rate.

Prices quoted are F. O. B. our nursery. Boxes and other packing materials are charged at actual cost.

Our nursery stock is guaranteed native grown and has been inspected by the State Nursery Inspectors. A copy of the Inspection Certificate accompanies all shipments. We exercise the greatest care to have all of our stock true to name, but give no warranty, expressed or implied, as to the quality or productiveness or any other matter of any nursery stock we sell. Claims for shortage must be made promptly.

All orders are accepted subject to loss of crop by drought or other causes beyond our control.

All shipments travel at risk and cost of purchaser.

